

COSMETICS CASE

BACKGROUND OF THE INVENTION

[0001] This non-provisional application claims priority under 35 U.S.C. § 119(a) based on Patent Application No. 2003-0023582 filed in Korea on April 15, 2003, the subject matter of which is herein incorporated by reference.

FIELD OF THE INVENTION

[0002] The present invention relates to a cosmetics case and more particularly, to an improved cosmetics case including a receptacle for the cosmetics and a cosmetic set receiving drawer disposed under the receptacle, whereby when the user pushes a locking holder thereof, the top (cover) of the cosmetic case is opened and the cosmetic set receiving drawer is simultaneously opened for easily and conveniently providing access to the contents of the cosmetic case.

DESCRIPTION OF RELATED ART

[0003] Various types of cosmetics cases are well known in the art. Generally, a conventional cosmetics case includes a plurality of compartments for containing a number of cosmetics and cosmetic devices disposed in the compartments.

[0004] However, such conventional cosmetic cases suffer from a number of problems. For example, when such a conventional cosmetic case is carried in a handbag, movement of the handbag can cause the cosmetics and the cosmetic set to mix together, creating a mess. Also, the cosmetic implements may be damaged by colliding with each other.

[0005] In order to solve such problems, the user has used separate accommodations for cosmetics and cosmetic devices. However, it is difficult and inconvenient in certain situations to apply make-up by utilizing two separate cases, for example, when riding in moving cars, ships or airplanes. In such situations, the user encounters difficulty in effectively utilizing two separate cases, which require enhanced dexterity in opening and closing the two cases.

SUMMARY OF THE INVENTION

[0006] Accordingly, it is an object of the present invention to provide a cosmetics case which eliminates the above problems encountered with conventional cosmetics cases.

[0007] Another object of the present invention is to provide an improved cosmetics case including a receptacle for the cosmetics and a separate cosmetic appliance receiving drawer disposed under the receptacle for conveniently carrying the cosmetic case in a handbag and accessing the contents thereof.

[0008] A further object of the present invention is to provide a cosmetics case which includes a housing having a cover to be opened by the

operation of a locking holder, an upper level, and a low level, the upper level containing a plurality of compartments for accommodating various types of cosmetics, and the low level containing a hollow compartmented drawer for smoothly accessing cosmetic implements stored therein by pushing the locking holder disposed on the exterior of the front wall of the housing.

[0009] Still another object of the present invention is to provide a cosmetics case which is simple in structure, inexpensive to manufacture, durable in use, and refined in appearance.

[0010] Briefly described, the present invention is directed to a cosmetics case having at least two levels with a receptacle disposed at the upper level thereof for accommodating cosmetics and a receiving drawer for accommodating cosmetic implements, e.g. scissors, brushes, fingernail file, etc., disposed at the lower level thereof, whereby when the user, by pushing a locking holder on the exterior front wall thereof causes the cover thereof to open, and the receiving drawer to simultaneously slide out for easily and conveniently accessing the contents of the cosmetic case.

[0011] Other objects and further scope of applicability of the present invention will become apparent from the detailed description given hereinafter. However, it should be understood that the detailed description and specific examples, while indicating preferred embodiments of the invention, are given by way of illustration only, since various changes and modifications within the spirit and scope of the invention will become apparent to those skilled in the art from this detailed description.

BRIEF DESCRIPTION OF THE DRAWINGS

[0012] The present invention will become more fully understood from the detailed description given hereinbelow and the accompanying drawings which are given by way of illustration only, and thus are not limitative of the present invention, and wherein:

[0013] FIG. 1 is a perspective view of a cosmetics case according to the present invention;

[0014] FIG. 2 is a perspective view of a cosmetic case of Figure 1 in an opened position when the locking holder is pushed by the user;

[0015] FIG. 3 is an explored perspective view of the cosmetics case, according to the present invention;

[0016] FIG. 4 is a perspective view of the locking holder of the cosmetic case of the present invention, showing the detailed construction of the locking holder with an enlarged detailed view thereof;

[0017] FIG. 5 is a top plan view of the housing of the cosmetic case without the cover, according to the present invention;

[0018] FIG. 6 is a cross-sectional view, taken along line A-A of FIG. 1;

[0019] FIG. 7 is a second embodiment of the cosmetics case, according to the present invention;

[0020] FIG. 8 is a sectional view of the second embodiment of the cosmetics case, according to the present invention;

[0021] FIG. 9 is a third embodiment of the cosmetics case, according to the present invention; and

[0022] FIG. 10 is a sectional view of the third embodiment of the cosmetics case, according to the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0023] Referring now in detail to the drawings for the purpose of illustrating the preferred embodiments of the present invention, the cosmetics case 1 as shown in FIGS. 1, 2 and 3, includes a housing 10 containing a receptacle 40 for storing cosmetics said receptacle being disposed on in an upper level of the housing. A drawer 30 is disposed in a lower level of the housing for accommodating a cosmetic set 35. A locking holder 20 is disposed on a front wall 10a thereof, and a cover 50 is pivotally mounted to the housing 10 through a pair of pivot pins 51.

[0024] The receptacle 40 contains an aperture 40a disposed on the front center thereof, a plurality of cosmetics receiving compartments 40b for storing various types of colorful cosmetics (not shown) defined by a plurality of partitions 41, and a pair of extensions 42 extending from both ends of the rear portion thereof for fitting the receptacle 40 on the upper level of the housing 10. The cover 50 is provided with a mirror 50a adhered to the inside thereof, and a connecting plate 54 having a pair of pivot pin holders 53 disposed on both ends of the connecting plate 54. The pair of pivot pins 51 are disposed in a pin shaft receivers 71 in the rear wall 10b, respectively, for pivotably mounting the cover 50 to the housing 10.

[0025] As shown in FIG. 3, the drawer 30 for housing cosmetic implements 35 containing a plurality of cosmetic compartments 30a for

storing various types of cosmetic tools which make up the cosmetic set 35. That is, the drawer 30 is stored in a receiving room 13 of the housing 10 through an entrance 11 disposed at the right wall 10d of the housing 10.

[0026] Referring in detail to FIGS. 3 and 4, the receiving room 13 includes a pair of walls 12 disposed on the bottom thereof and extending from the middle portion of a left wall 10c for containing an elastic spring 12a. A groove 13a is disposed on the bottom of room 13 and extends from the middle portion of the front wall 10a. An opening spring part 16 is disposed on the exterior of the rear wall 10b. A locking holder seat 14 is disposed at the center of the front wall 10a with a pair of biased elements 14a. The locking holder 20 includes a locking hook 21 disposed on the top thereof, a pair of elastic wedges 23 extending from both ends thereof, and a key plate 22 extending from the back side thereof. The key plate 22 has a key projection 22a disposed on the end portion thereof for overcoming and locking a stopper 32a of the drawer 30 (FIG. 5). When the locking holder 20 is engaged with the locking holder seat 14 of the housing 10, the pair of elastic wedges 23 are engaged with the pair of biased elements 14a, and the key plate 22 is engaged with the groove 13a of the housing 10, respectively.

[0027] As shown in FIGS. 4, 5 and 6, the drawer 30 furthermore includes a guiding groove 32 having stopper 32a disposed on the exterior of the bottom thereof for guiding the key projection 22a. Therefore, when the drawer 30 is pushed toward the entrance 11 of the housing, the stopper 32a is stopped at the key projection 22a of the locking holder 20, and the drawer presses against the bias of the elastic spring 12a.

[0028] Referring to FIGS. 1-4, the cosmetics case 1 for automatically and simultaneously opening the cover 50 and discharging the drawer 30 containing the cosmetic set 35, according to the present invention, operates as follows. As shown in FIG. 1, the cosmetics case 1 stores the cosmetics (not shown) in the cosmetics receiving room 40b and the components of the cosmetic set 35 are stored in the drawer 30 in an original position. Thereafter, in order to use the cosmetics or the cosmetic tools, when the user pushes the locking holder 20 in the direction indicated by arrow (A), the cover 50 and the drawer 30 open simultaneously.

[0029] That is, when the user pushes the locking holder 20, since the locking hook 21 and the key projection 22a of the locking holder 20 move backward, the hook groove of the cover 50 is released from the locking hook 21 and the cover 50 is opened by the biasing force of the opening spring part 16. Simultaneously, the stopper 32a of the drawer 30 is released from the key projection 22a and the guiding groove 32 is released from the key projection 22a. Therefore, the drawer 30 is pushed out by the biased force of the elastic spring 12a.

[0030] After the user uses the cosmetics and the cosmetic set, in order to return to the original position, when the user pushes an outside wall 33 of the drawer 30 inwardly, the guiding groove 32, which is disposed on the exterior of the bottom of the drawer 30 presses down on the key projection 22a and simultaneously an inside wall 34 of the drawer 30 presses the elastic spring 12a disposed within the pair of walls 12. After the stopper 32a

of the guiding groove 32 of the drawer 30 moves over the key projection 22a, the drawer 30 arrives in the receiving room 13.

[0031] Also, when the user closes the cover 50, the connection plate 54 of the cover 50 presses the opening spring part 16 of the housing 10 to close due to the operation of the pair of pivot pins disposed within the pair of pivot pin holders 53 of the cover 30 and the pivot pin receiver 71 of the housing. The hook groove 52 of the cover 30 then engages the locking hook of the housing 10. Accordingly, the drawer 30 and the cover 50 are locked in their original position as shown in FIG. 1.

[0032] Referring in detail to FIGS. 7 and 8, there is illustrated a second embodiment of a cosmetics case 1a according to the present invention. The cosmetics case 1a includes a housing 60, a cover 70 pivotally attached to the housing 60, and a cosmetic set 80 movably disposed within the housing 60. The cover 70 has a mirror 50a adhered on the inside surface thereof, and a hook groove 72.

[0033] The housing 60 includes an elongated space 61 disposed at the front wall 60a, a raised portion 62 disposed at the entrance of the elongated space 61, and an opening spring part 65 disposed on a rear wall 60b of the housing 60. The cover 70 is pivotally connected to the housing 60 by a pair of pivot pins 51a through a pair of pivot pin holders 53a of the cover 70 and a pair of pivot pin receivers 71a.

[0034] The cosmetic set such as the cosmetic brush 80 includes a body 81, a brush 82 disposed at the inside end of the body 81, a chamber 83 disposed within the body 81, a pushing element 88 having a locking hook

87, a stopping part 86, and a spring 85 connected to the stopping element 86. The stopping element 86 is stopped by a body projection 84 of the body 81.

[0035] Referring to FIGS. 7 and 8, the cosmetics case 1a according to the present invention operates as follows. The cosmetics case 1a provides for the cosmetics (not shown) in a cosmetics receiving room 63 and provides for the cosmetic brush 80 in the elongated space 61 of the housing 60, in an original position. Thereafter, in order to use the cosmetics and/or the cosmetic brush 80, when the user pushes the pushing element 88, the cover 70 and the cosmetic brush 80 open simultaneously.

[0036] That is, when the user pushes the pushing part 88 lightly, the hook groove 72 is released from the blocking groove 87 and at the same time, the cover 70 is opened by the biased force of the opening spring part 65. Also, simultaneously, the locking groove 87 is released from the raised portion 62 of the housing 60 and the cosmetic brush 80 is pushed out from the elongated space 61 of the housing 60 by the biased force of the spring 85. The cosmetic brush 80 can be replaced with any other types of cosmetic tool according to the user's preference.

[0037] After the user has used the cosmetics and/or the cosmetic brush 80, the user pushes the cosmetic brush 80 by pushing the pushing part 88 into the elongated space 61 and closes the cover 70 by engaging the hook groove 72 with the locking groove 87. Accordingly, the cosmetic brush 80 and the cover 70 are closed, so that the cosmetic case 1a returns to its original position as shown in FIG. 8.

[0038] Referring in detail to FIGS. 9 and 10, there is illustrated a third embodiment of the cosmetics case 1b according to the present invention. The cosmetics case 1b includes a housing 66, a cover 70a pivotally mounted to the housing, and a cosmetic set such as a cosmetic brush 90 movably disposed within an elongated space 67 of the housing 66. The cover contains a mirror 50a adhered on the inside surface thereof and a hook groove 72a.

[0039] The housing 66 includes an elongated space 67 disposed from a front wall 66a, a raised portion 62a disposed at the entrance of the elongated space 67, and an opening spring part 65 disposed on a rear wall 66b of the housing 66. Also, the cover 70a is pivotally mounted to the housing 66 by a pair of pivot pins 51b through a pair of pivot pin holders 53b of the cover 70a and a pair of pivot pin receivers 71b.

[0040] The cosmetic brush 90 includes a body 91, a brush 95, disposed at an inside end of the body 91, a chamber 98 disposed within the body 91, a pushing element 96 having a locking groove 97, a spring 94 fixed to a fixing element 92 which is disposed within the hollow 98, and a body projection 93 connected to the fixing part 92 for stopping against the raised portion 62a at the entrance of the elongated space 67 of the housing 66.

[0041] Referring to FIGS. 9 and 10, the cosmetic case 1b according to the present invention operates as follows. The cosmetics case 1b accommodates the cosmetics (not shown) in a cosmetics receiving room 63a and the cosmetic brush 90 is accommodated in the elongated space 67 of the housing 66, in an original position. Thereafter, in order to use the

cosmetics and/or the cosmetic brush 90, when the user pushes the pushing element 96, the cover 70a and the cosmetic brush 90 open simultaneously.

[0042] That is, when the user pushes the pushing part 96 lightly, the locking hook 72a is released from the locking groove 97 and at the same time, the cover 70a is opened by the biasing force of the opening spring part 65. Also, the cosmetic brush 90 is pushed from the elongated space 67 of the housing 66 by the biasing force of the spring 84.

[0043] After the user uses the cosmetics and/or the cosmetic brush 90, the user pushes the cosmetic brush 90 by pushing the pushing element 96 into the elongated space 67 of the housing 66 and at the same time, the user closes the cover 70a by engaging the locking hook 72a of the cover 70a with the locking groove 97 of the cosmetic brush 90. Accordingly, the cosmetics and the cosmetic brush 90 are closed, so that the cosmetic case 1b returns to its original position as shown in FIG. 10.

[0044] Accordingly, the cosmetics cases 1, 1a and 1b according to the present invention include the covers 50, 70 and 70a, receptacles 40, 60 and 66 for cosmetics, and cosmetic set receiving drawers 30, 80 and 90 disposed under the receptacles 40, 60 and 66, respectively, whereby when the user pushes the pushing elements 20, 88 and 96, the covers 50, 70 and 70a are opened and simultaneously the cosmetic set drawers 30, 80 and 90 are pushed out for conveniently and easily utilizing make-up and make-up implements anywhere and anytime, and facilitating the carrying of the cosmetic cases.

[0045] The invention being thus described, it will be obvious that the same may be varied in many ways. Such variations are not to be regarded as a departure from the spirit and scope of the invention, and all such modifications as would be obvious to one skilled in the art are intended to be included within the scope of the following claims.